

Spacek et al., 2021, Figure 5

Figure 5c

Effect of locomotion state on firing rate

```
# Random intercept, random slope for neurons,
# random intercept for experiments, nested in series
lmer.5c = lmer(rates ~ run + (1 + run | uid) + (1 | sid/eid),
               data = tbf %>% drop_na(rates))

display(lmer.5c)

## lmer(formula = rates ~ run + (1 + run | uid) + (1 | sid/eid),
##       data = tbf %>% drop_na(rates))
##           coef.est   coef.se
## (Intercept) 8.87      1.73
## run         3.03      0.31
##
## Error terms:
##   Groups     Name        Std.Dev.  Corr
##   uid        (Intercept) 8.03
##   run         2.34       0.58
##   eid:sid    (Intercept) 1.52
##   sid        (Intercept) 4.18
##   Residual    5.89
## ---
## number of obs: 13220, groups: uid, 66; eid:sid, 22; sid, 10
## AIC = 84952.2, DIC = 84940.8
## deviance = 84938.5
anova(lmer.5c)

## Type III Analysis of Variance Table with Satterthwaite's method
##   Sum Sq Mean Sq NumDF DenDF F value    Pr(>F)
## run 3261.8 3261.8      1  63.94  94.063 3.507e-14 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Running: 11.9 spikes/s
Sitting: 8.9 spikes/s
n = 66 neurons from 6 mice
```

Figure 5d

Effect of locomotion state on burst ratio

```
# Random intercept, random slope for neurons,
# random intercept for experiments, nested in series
lmer.5d = lmer(burstratios ~ run + (1 + run | uid) + (1 | sid/eid),
                data = tbf %>% drop_na(burstratios))

display(lmer.5d)

## lmer(formula = burstratios ~ run + (1 + run | uid) + (1 | sid/eid),
##       data = tbf %>% drop_na(burstratios))
##           coef.est  coef.se
## (Intercept)  0.06    0.01
## run        -0.03    0.01
##
## Error terms:
##   Groups     Name      Std.Dev. Corr
##   uid        (Intercept) 0.08
##   run         0.05     -0.92
##   eid:sid   (Intercept) 0.02
##   sid        (Intercept) 0.02
##   Residual            0.09
## ---
## number of obs: 12291, groups: uid, 66; eid:sid, 22; sid, 10
## AIC = -23922.1, DIC = -23970
## deviance = -23954.0

anova(lmer.5d)

## Type III Analysis of Variance Table with Satterthwaite's method
##   Sum Sq Mean Sq NumDF DenDF F value    Pr(>F)
## run 0.16277 0.16277     1 66.662  20.199 2.85e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Running: 0.035
Sitting: 0.063
n = 66 neurons from 6 mice
```

Figure 5e

Effect of locomotion state on sparseness

```
# Random intercept for neurons,
# random intercept for experiments, nested in series
lmer.5e = lmer(spars ~ run + (1 | uid) + (1 | sid/eid),
               data = tbfef %>% drop_na(spars))

display(lmer.5e)

## lmer(formula = spars ~ run + (1 | uid) + (1 | sid/eid), data = tbfef %>%
##       drop_na(spars))
##           coef.est  coef.se
## (Intercept)  0.47      0.06
## run         -0.07      0.02
##
## Error terms:
## Groups     Name        Std.Dev.
## uid        (Intercept) 0.16
## eid:sid   (Intercept) 0.04
## sid        (Intercept) 0.15
## Residual             0.12
## ---
## number of obs: 260, groups: uid, 66; eid:sid, 22; sid, 10
## AIC = -1777.9, DIC = -211
## deviance = -200.5
anova(lmer.5e)

## Type III Analysis of Variance Table with Satterthwaite's method
##          Sum Sq Mean Sq NumDF DenDF F value    Pr(>F)
## run  0.34195 0.34195     1  181.89  22.747 3.776e-06 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Running: 0.40
Sitting: 0.47
n = 66 neurons from 6 mice
```

Figure 5f

Effect of locomotion state on reliability

```
# Random intercept for neurons,
# random intercept for experiments, nested in series
lmer.5f = lmer(rel ~ run + (1 | uid) + (1 | sid/eid),
               data = tbfef %>% drop_na(rel))

display(lmer.5f)

## lmer(formula = rel ~ run + (1 | uid) + (1 | sid/eid), data = tbfef %>%
##       drop_na(rel))
##           coef.est  coef.se
## (Intercept)  0.16     0.02
## run         -0.03     0.01
##
## Error terms:
## Groups   Name        Std.Dev.
## uid      (Intercept) 0.10
## eid:sid (Intercept) 0.03
## sid      (Intercept) 0.04
## Residual            0.06
## ---
## number of obs: 258, groups: uid, 66; eid:sid, 22; sid, 10
## AIC = -505.5, DIC = -545.1
## deviance = -531.3
anova(lmer.5f)

## Type III Analysis of Variance Table with Satterthwaite's method
##          Sum Sq  Mean Sq NumDF DenDF F value    Pr(>F)
## run  0.045474 0.045474     1    176.12 11.828 0.0007282 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Running: 0.13
Sitting: 0.16
n = 66 neurons from 6 mice
```

Figure 5i

Effect of locomotion state on firing rate during V1 suppression

```
# Random intercept, random slope for neurons,
# random intercept for experiments nested in series
lmer.5i = lmer(rates ~ run + (1 + run | uid) + (1 | sid/eid),
               data = tbs %>% drop_na(rates))

display(lmer.5i)

## lmer(formula = rates ~ run + (1 + run | uid) + (1 | sid/eid),
##       data = tbs %>% drop_na(rates))
##           coef.est    coef.se
## (Intercept) 7.62      1.45
## run         2.05      0.24
##
## Error terms:
##   Groups     Name        Std.Dev. Corr
##   uid        (Intercept) 8.96
##   run         1.80       0.77
##   eid:sid   (Intercept) 1.58
##   sid        (Intercept) 2.52
##   Residual          4.75
## ---
## number of obs: 12479, groups: uid, 66; eid:sid, 22; sid, 10
## AIC = 74867.9, DIC = 74854.3
## deviance = 74853.1

anova(lmer.5i)

## Type III Analysis of Variance Table with Satterthwaite's method
##   Sum Sq Mean Sq NumDF DenDF F value    Pr(>F)
## run 1603.4 1603.4     1  64.8  71.055 5.163e-12 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Running: 9.7 spikes/s
Sitting: 7.6 spikes/s
n = 66 neurons from 6 mice
```

Figure 5j

Effect of locomotion state on burst ratio during V1 suppression

```
# Random intercept, random slope for neurons,
# random intercept for experiments, nested in series
lmer.5j = lmer(burstratios ~ run + (1 + run | uid) + (1 | sid/eid),
                data = tbs %>% drop_na(burstratios))

display(lmer.5j)

## lmer(formula = burstratios ~ run + (1 + run | uid) + (1 | sid/eid),
##       data = tbs %>% drop_na(burstratios))
##   coef.est  coef.se
## (Intercept)  0.11     0.02
## run        -0.03     0.01
##
## Error terms:
## Groups    Name      Std.Dev. Corr
## uid      (Intercept) 0.11
##         run          0.05     -0.56
## eid:sid (Intercept) 0.02
## sid      (Intercept) 0.06
## Residual           0.12
## ---
## number of obs: 11524, groups: uid, 66; eid:sid, 22; sid, 10
## AIC = -15131.2, DIC = -15175.1
## deviance = -15161.2

anova(lmer.5j)

## Type III Analysis of Variance Table with Satterthwaite's method
##   Sum Sq Mean Sq NumDF DenDF F value    Pr(>F)
## run 0.29436 0.29436     1 68.084 19.489 3.707e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Running: 0.081
Sitting: 0.11
n = 66 neurons from 6 mice
```

Figure 5k

Effect of locomotion state on sparseness during V1 suppression

```
# Random intercept for neurons,
# random intercept for experiments, nested in series, nested in mice
lmer.5k = lmer(spars ~ run + (1 | uid) + (1 | mid/sid/eid),
               data = tbskl %>% drop_na(spars))

display(lmer.5k)

## lmer(formula = spars ~ run + (1 | uid) + (1 | mid/sid/eid), data = tbskl %>%
##       drop_na(spars))
##           coef.est  coef.se
## (Intercept)  0.56      0.06
## run         -0.09      0.01
##
## Error terms:
## Groups          Name        Std.Dev.
## uid            (Intercept) 0.18
## eid:(sid:mid) (Intercept) 0.03
## sid:mid        (Intercept) 0.09
## mid            (Intercept) 0.12
## Residual          0.10
## ---
## number of obs: 258, groups: uid, 66; eid:(sid:mid), 22; sid:mid, 10; mid, 6
## AIC = -246.5, DIC = -281.9
## deviance = -271.2

anova(lmer.5k)

## Type III Analysis of Variance Table with Satterthwaite's method
##   Sum Sq Mean Sq NumDF DenDF F value    Pr(>F)
## run  0.548  0.548     1  179.51  54.74 5.101e-12 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Running: 0.47
Sitting: 0.56
n = 66 neurons from 6 mice
```

Figure 5l

Effect of locomotion state on reliability during V1 suppression

```
# Random intercept for neurons,
# random intercept for experiments, nested in series
lmer.51 = lmer(rel ~ run + (1 | uid) + (1 | sid/eid),
               data = tbskl %>% drop_na(rel))

display(lmer.51)

## lmer(formula = rel ~ run + (1 | uid) + (1 | sid/eid), data = tbskl %>%
##       drop_na(rel))
##           coef.est  coef.se
## (Intercept)  0.18      0.03
## run         -0.04      0.01
##
## Error terms:
##   Groups     Name        Std.Dev.
##   uid        (Intercept) 0.10
##   eid:sid   (Intercept) 0.03
##   sid        (Intercept) 0.06
##   Residual             0.07
##   ---
## number of obs: 256, groups: uid, 66; eid:sid, 22; sid, 10
## AIC = -448.4, DIC = -486.8
## deviance = -473.6
anova(lmer.51)

## Type III Analysis of Variance Table with Satterthwaite's method
##   Sum Sq Mean Sq NumDF DenDF F value    Pr(>F)
## run 0.12051 0.12051     1 175.65  24.89 1.451e-06 ***
##   ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Running: 0.14
Sitting: 0.18
n = 66 neurons from 6 mice
```